

# Distal Radius Plates





## DISTAL ULNA/RADIUS IMPLANTS

### COMLOK T-Plate 3.5mm



COMLOK T-Plate 3.5mm Oblique Angled Left

Steel	Titanium	Holes	Length mm
912.03L	Ti 912.03L	3 x 3	50
912.04L	Ti 912.04L	3 x 4	56
912.05L	Ti 912.05L	3 x 5	67
912.06L	Ti 912.06L	3 x 6	78



COMLOK T-Plate 3.5mm Oblique Angled Right

Steel	Titanium	Holes	Length mm
912.03R	Ti 912.03R	3 x 3	50
912.04R	Ti 912.04R	3 x 4	56
912.05R	Ti 912.05R	3 x 5	67
912.06R	Ti 912.06R	3 x 6	78



COMLOK T-Plate 3.5mm Right Angled

Steel	Titanium	Holes	Length mm
911.03	Ti 911.03	3 x 3	50
911.04	Ti 911.04	3 x 4	56
911.05	Ti 911.05	3 x 5	67
911.06	Ti 911.06	3 x 6	78

### COMLOK Distal Lateral Radius Plate 3.5mm



COMLOK Distal Lateral Radius Plate 3.5mm

Steel	Titanium	Holes	Length mm
952.05	Ti 952.05	5	67
952.06	Ti 952.06	6	78



**DISTAL ULNA/RADIUS IMPLANTS**

**COMLOK Distal Radius Plate Long 3.5 / 2.7 mm**



**COMLOK Distal Radius Plate Long 3.5 / 2.7 mm Left**

Steel	Titanium	Holes	Length mm
969.05L	Ti 969.05L	5	90
969.07L	Ti 969.07L	7	120
969.09L	Ti 969.09L	9	150
969.11L	Ti 969.11L	11	180
969.13L	Ti 969.13L	13	210
969.15L	Ti 969.15L	15	240

**COMLOK Distal Radius Plate Long 3.5 / 2.7 mm Right**

Steel	Titanium	Holes	Length mm
969.05L	Ti 969.05L	5	90
969.07L	Ti 969.07L	7	120
969.09L	Ti 969.09L	9	150
969.11L	Ti 969.11L	11	180
969.13L	Ti 969.13L	13	210
969.15L	Ti 969.15L	15	240



**DISTAL ULNA/RADIUS IMPLANTS**

**COMLOK Distal Radius Extra Articular T-Plate 2.7 mm**



**COMLOK Distal Radius Extra Articular T-Plate 2.7 mm Left**

Steel	Titanium	Holes	Length mm
967.03L	Ti 967.03L	3 x 5	52
967.04L	Ti 967.04L	5 x 5	68
967.05L	Ti 967.05L	5 x 4	68

**COMLOK Distal Radius Extra Articular T-Plate 2.7 mm Right**

Steel	Titanium	Holes	Length mm
967.03R	Ti 967.03R	3 x 5	52
967.04R	Ti 967.04R	5 x 5	68
967.05R	Ti 967.05R	5 x 4	68

**COMLOK Distal Anterior Radius T-Plate (Oblique) 2.7 mm**



**COMLOK Distal Anterior Radius T-Plate (Oblique) 2.7 mm Left**


Steel	Titanium	Holes	Length mm
968.03L	Ti 968.03L	3X5	46
968.05L	Ti 968.05L	5X5	62

**COMLOK Distal Anterior Radius T-Plate (Oblique) 2.7 mm Right**





Steel	Titanium	Holes	Length mm
968.03R	Ti 968.03R	3X5	46
968.05R	Ti 968.05R	5X5	62



## SCREWS FOR ULNA/RADIUS



Washer  
Cat. No. 114.02



Length mm	Shaft Screw LeDCP Cat. No.	Cortical - 3.5 mm Cat. No.	COMLOK Cancellous 4 mm Cat. No.	Cancellous - 4 mm Full Thread	Cancellous - 4 mm Short Thread
10	-	Ti-103.10	Ti-908.10	Ti-106.10	Ti-107.10
12	Ti-115.12	Ti-103.12	Ti-908.12	Ti-106.12	Ti-107.12
14	Ti-115.14	Ti-103.14	Ti-908.14	Ti-106.14	Ti-107.14
16	Ti-115.16	Ti-103.16	Ti-908.16	Ti-106.16	Ti-107.16
18	Ti-115.18	Ti-103.18	Ti-908.18	Ti-106.18	Ti-107.18
20	Ti-115.20	Ti-103.20	Ti-908.20	Ti-106.20	Ti-107.20
22	Ti-115.22	Ti-103.22	Ti-908.22	Ti-106.22	Ti-107.22
24	Ti-115.24	Ti-103.24	Ti-908.24	Ti-106.24	Ti-107.24
26	Ti-115.26	Ti-103.26	Ti-908.26	Ti-106.26	Ti-107.26
28	Ti-115.28	Ti-103.28	Ti-908.28	Ti-106.28	Ti-107.28
30	Ti-115.30	Ti-103.30	Ti-908.30	Ti-106.30	Ti-107.30
32	Ti-115.32	Ti-103.32	-	-	-
34	Ti-115.34	Ti-103.34	-	-	-
35	Ti-115.35	Ti-103.35	Ti-908.35	Ti-106.35	Ti-107.35
36	Ti-115.36	Ti-103.36	-	-	-
38	Ti-115.38	Ti-103.38	-	-	-
40	Ti-115.40	Ti-103.40	Ti-908.40	Ti-106.40	Ti-107.40
42	Ti-115.42	Ti-103.42	-	-	-
44	Ti-115.44	Ti-103.44	-	-	-
45	-	-	Ti-908.45	Ti-106.45	Ti-107.45
46	Ti-115.46	Ti-103.46	-	-	-
48	Ti-115.48	Ti-103.48	-	-	-
50	Ti-115.50	Ti-103.50	Ti-908.50	Ti-106.50	Ti-107.50
52	-	Ti-103.52	-	-	-
54	-	Ti-103.54	-	-	-
55	Ti-115.55	-	Ti-908.55	Ti-106.55	Ti-107.55
56	-	Ti-103.56	-	-	-
58	-	Ti-103.58	-	-	-
60	Ti-115.60	Ti-103.60	Ti-908.60	Ti-106.60	Ti-107.60
65	-	-	-	Ti-106.65	Ti-107.65
70	-	-	-	Ti-106.70	Ti-107.70